

Backup Bookstack Using Docker

Don't drive as root, create a BookStack administrator account by following the [adduser instructions](#).

If you are running Bookstack in a docker container, run the following command to backup the database from **outside** the docker container. Navigate to the root of the running docker container, and run the following command. Don't forget to replace the `<INSERTS>` with actual file names, users, or other information regarding your Bookstack instance.

```
sudo docker exec <DOCKER-CONTAINER-NAME> /usr/bin/mysqldump -u <USER> -p <DATABASE> > <DATABASE>.backup.sql
```

 so an example of this command would be the following -

```
sudo docker exec bookstack /usr/bin/mysqldump -u bookstackadmin -p bookstack_db > bookstack.backup.sql
```

This will output the file `bookstack.backup.sql` into your working directory, move this file to a safe place so you can restore the database should something go wrong in the future. Alternatively, you could manually enter the container with `sudo docker exec -it CONTAINER bash` and then just run `mysqldump -u USER -p DATABASE > DATABASE.backup.sql && exit` followed by `sudo docker cp CONTAINER:/container/path/DATABASE.backup.sql local/path` to copy the SQL backup onto our container's host.

This is all that needs to be done to backup the base content of BookStack, but there are some important configurations and upload directories you'll want to zip up, too. To zip these directories, enter your docker container and run the following commands

```
sudo docker exec -it BOOKSTACK_CONTAINER bash
tar -czvf bookstack-files-backup.tar.gz /var/www/html/.env /var/www/html/public/uploads
/var/www/html/storage/uploads
exit
sudo docker cp BOOKSTACK_CONTAINER:/var/www/html/bookstack/bookstack-files-backup.tar.gz
/home/USER/ftp/
```

If you used the method above, the database can be easily restored using the following commands

```
# Move our backup files into the containers that need them
sudo docker cp /home/USER/ftp/backup/bookstack.backup.sql BOOKSTACK_MYSQL_CONTAINER:/
sudo docker cp /home/USER/ftp/backup/bookstack-files-backup.tar.gz
```

```
BOOKSTACK_CONTAINER:/var/www/html/bookstack/
```

```
# Enter MySQL container and restore the DB
```

```
sudo docker exec -it BOOKSTACK_MYSQL_CONTAINER bash
```

```
mysql -u {mysql_user} -p {database_name} < {backup_file_name}
```

```
exit
```

```
# Enter Bookstack container and restore local data
```

```
sudo docker exec -it BOOKSTACK_CONTAINER bash
```

```
tar -xvzf bookstack-files-backup.tar.gz
```

```
exit
```

If you are restoring to a new version of BookStack you will have to run `php artisan migrate` after restore to perform any required updates to the database. For safe keeping, toss this file somewhere so you can quickly peek at it whenever you need it. But once you run these commands a few times, you won't forget them.

```
#!/bin/bash
```

```
##Reference for backing up the BookStack database within docker container
```

```
#####
```

```
# Backup Bookstack Database
```

```
sudo docker exec DOCKER_MYSQL_CONTAINER /usr/bin/mysqldump -u USER --password=PASSWORD DATABASE  
> DATABASE.backup.sql
```

```
# Backup Bookstack Files
```

```
sudo docker exec -it DOCKER_CONTAINER bash
```

```
tar -czvf bookstack-files-backup.tar.gz .env public/uploads storage/uploads
```

```
exit
```

```
sudo docker cp CONTAINER:/var/www/html/bookstack/bookstack-files-backup.tar.gz /home/USER/ftp/
```

```
# Or manually copy them...
```

```
# sudo docker cp BOOKSTACK_CONTAINER:/var/www/html/bookstack/.env /home/USER/ftp/
```

```
# sudo docker cp BOOKSTACK_CONTAINER:/var/www/html/bookstack/storage/uploads /home/USER/ftp/
```

```
# sudo docker cp BOOKSTACK_CONTAINER:/var/www/html/bookstack/public/uploads /home/USER/ftp/
```

```
# Restore
```

```
# Move our backup files into the containers that need them
```

```
# sudo docker cp /home/USER/ftp/backup/bookstack.backup.sql BOOKSTACK_MYSQL_CONTAINER:/
```

```
# sudo docker cp /home/USER/ftp/backup/bookstack-files-backup.tar.gz
```

```
BOOKSTACK_CONTAINER:/var/www/html/bookstack/
```

```
# Enter MySQL container and restore the DB
# sudo docker exec -it BOOKSTACK_MYSQL_CONTAINER bash
# mysql -u USER -p DATABASE < DATABASE.backup.sql
# exit

# Enter Bookstack container and restore local data
# sudo docker exec -it BOOKSTACK_CONTAINER bash
# tar -xvzf bookstack-files-backup.tar.gz
# exit
```

Revision #11

Created 7 April 2019 10:59:42 by Shaun Reed

Updated 15 June 2020 04:30:02 by Shaun Reed