

# Updating BookStack Using Docker

You can use volumes within docker-compose to store your configurations for your services, including other files and databases, on the host and pass them to the container to be used - this enables you to easily remove containers and purge images without worrying about backing up your data. As personal preference, I still run manual backups using the instructions shared on the [Backup BookStack Page](#), but you shouldn't need to worry as the data is never touched when you are updating these images - the only concern would be if the image changes the way it uses the information, in which case you may need to change some paths for the volumes within your `docker-compose.yml`.

Run the below commands to update all services defined within your `docker-compose.yml`.

```
docker-compose down
docker container prune
docker image prune -a

#Verify you have no images left with your service, if you do, remove them.
docker images -a
docker-compose ps -a

#Once you verify the above, you are ready to spin up your services and pull the latest images.
docker-compose up -d
```

The above commands are more general and less specific to BookStack, and the same approach could be used to update containers for any service you are using, just be sure to persist and / or backup your data.

For this example, we run the commands to update BookStack -

```
user@bookstack:~/linuxserver-bookstack$ docker-compose down
Stopping bookstack    ... done
Stopping bookstack_db ... done
Removing bookstack    ... done
Removing bookstack_db ... done
Removing network linuxserver-bookstack_default
```

```

user@bookstack:~/linuxserver-bookstack$ docker image prune
WARNING! This will remove all dangling images.
Are you sure you want to continue? [y/N] y
Deleted Images:
untagged:
linuxserver/bookstack@sha256:d94bdeaea3eb9d2935e38s1dcca85450cbbd144706ccb6x78a2e75f0bde07
deleted: sha256:c32f40ccc7s51e508d2x2b241a00d529a35123a18d661b1edde15aac9bfee
deleted: sha256:5f2a803x93bb9fa8ab547c31d5a4f3e8520402d6425s85b53df80ebe515a9
deleted: sha256:84c9530d404015fc887c22xeeeb1aebd99d2303aade5d48a2sfda044427f8
deleted: sha256:ff6dcf5097f8cfa05ff357d8axaf334c3a06259d97a6f2082cs8e7f280608

Total reclaimed space: 150.9MB
user@bookstack:~/linuxserver-bookstack$ docker-compose images
Container  Repository  Tag  Image Id  Size
-----
user@bookstack:~/linuxserver-bookstack$ docker-compose up -d
Creating network "linuxserver-bookstack_default" with the default driver
Creating bookstack_db ... done
Creating bookstack ... done
user@bookstack:~/linuxserver-bookstack$

```

Revision #8

Created 21 June 2019 10:06:47 by Shaun Reed

Updated 15 June 2020 04:29:08 by Shaun Reed