

Apache

Changing your Apache Server Root Directory

Your Apache installation determines what content to serve based on the DocumentRoot Default directory.

```
DocumentRoot Default = /var/www/html
```

-document root configured in the following files:

```
sudo vim /etc/apache2/sites-available/000-default.conf
```

```
sudo vim /etc/apache2/apache2.conf
```

Application Port Settings

After installing Apache, there will be a default configuration file located in `/etc/apache/enabled-sites/` that contains some VirtualHost configuration settings. It can be modified using Apache modules to allow Apache to serve our application as our root domain. To do this, we will need to enable one of the following Apache mods using `sudo a2enmod <module name>`

So, we run..

```
sudo a2enmod proxy_http
```

```
sudo a2enmod mod_proxy
```

After these two modules install, set up your VirtualHost configuration within the `/etc/apache/enabled-sites/` directory as follows:

```
<VirtualHost *:80>
    ServerAdmin me@mydomain.com
    ServerAlias mydomain.com
    ServerName www.mydomain.com
    ProxyPreserveHost On

    # setup the proxy
    <Proxy *>
        Order allow,deny
        Allow from all
```

```
</Proxy>
ProxyPass / http://www.mydomain.com:8888/
ProxyPassReverse / http://www.mydomain.com:8888/
</VirtualHost>
```

To apply these settings, run `sudo systemctl restart apache2.service` to restart Apache and reload your new configuration. If this command returns an error, look closer at your config settings and be sure you enabled the necessary modules.

Revision #7

Created 6 April 2019 04:24:58 by Shaun Reed

Updated 26 July 2019 22:16:54 by Shaun Reed